



Single Family Full Line

AWP SYSTEM



The art of luxury living.

Whether installed across the entire exterior of a home or used selectively as an accent or feature wall, Nichiha's Architectural Wall Panel (AWP) system always elevates design.



Scan here to explore our website.



ILLUMINATION Custom Color



ARCHITECTURALBLOCK Gray | VINTAGEWOOD Cedar





Multiple looks. One source.

With Nichiha's Architectural Wall Panel system, you can freely mix and match cladding styles. Whether you're looking for metal, stone, wood, concrete, or brick, you'll find them all here. Plus, all of our panel styles install with the same hardware.



USEFUL TIP

Add the finishing touches to your next project with our Essential Flashing on page 34.

CUSTOM COLORS

The custom color option lets you express your unique vision.




Nichiha's custom color option provides design freedom that most cladding products don't: virtually any color you can imagine. The three-step process is simple:

- ① Choose the exact color you want.
- ② Connect with a Nichiha representative who will coordinate the delivery of swatches.
- ③ Sign off on your color selection.

This premium feature is available for Illumination, Ribbed, VintageWood Smooth and TuffBlock panels and has no minimum order required. In addition to offering matching trim pieces, custom colors are backed by a 15-year limited factory-applied finish warranty.

*See Nichiha warranties for detailed information on terms, conditions and limitations.



LOOK FOR THIS ICON

You'll see this icon next to the products available in custom colors:
Illumination, Ribbed, VintageWood Smooth and TuffBlock.



The reflection of a higher standard.

High design requires luxe, head-turning cladding like Miraia. The only product of its kind in fiber cement, Miraia offers a reflective, high-gloss finish, perfect for design accents or a more affordable alternative to metal.


MIRAIA



SNOW



GLACIER



ONYX

NOTE: Miraia panels are only available with metal trim corner options.
Prefinished corners are not available. See page 37 for more information.

MIRAIA SPECS

AWP 1818

DIMENSIONS (ACTUAL MM)	17-7/8" H x 71-9/16" L (455MM H x 1818MM L)
THICKNESS (ACTUAL MM)	5/8" (16MM)
WEIGHT (LBS. PER PANEL)	37.9
WEIGHT (LBS. PER SQ. FT.)	4.27
EXPOSED COVERAGE (SQ. FT. PER PANEL)	8.88 SQ. FT.
PACKAGING (PIECES PER PACK)	2 [17.76 SQ. FT.]





Polished sophistication in color.

With its satin finish and virtually limitless color palette, Illumination provides far more value than aluminum composite and phenolic panels.

Illumination panels add modern interest to any project. They are offered in eight popular standard colors, with matching trim pieces to complete the look. For even greater flexibility, Nichiha's custom color option allows you to bring your unique vision to life.

ILLUMINATION - CUSTOM COLOR

Using our custom color option, Illumination panels are available in virtually any color you can imagine. They are available in 6-foot and 10-foot panels for maximum design flexibility.

STOCK ILLUMINATION - AVAILABLE IN AWP 1818 ONLY

NEW

BLANC
ED680F-BLANC

FOG
ED680F-FOG

NICKEL
ED680F-NICKEL

GRAPHITE
ED680F-GRAPHITE

BAY BLUE
ED680F-BAY BLUE

LAVA
ED680F-LAVA

SCARLET
ED680F-SCARLET

RAVEN
ED680F-RAVEN

ILLUMINATION SPECS	AWP 1818*	AWP 3030
DIMENSIONS (ACTUAL MM)	17-7/8" H x 71-9/16" L (455MM H x 1818MM L)	17-7/8" H x 119-5/16" L (455MM H x 3030MM L)
THICKNESS (ACTUAL MM)	5/8" (16MM)	5/8" (16MM)
WEIGHT (LBS. PER PANEL)	39.71	66.18
WEIGHT (LBS. PER SQ. FT.)	4.47	4.47
EXPOSED COVERAGE (SQ. FT. PER PANEL)	8.88 SQ. FT.	14.81 SQ. FT.
PACKAGING (PIECES PER PACK)	2 [17.76 SQ. FT.]	2 [29.62 SQ. FT.]

*NOTE: Stock Illumination panels are only available in AWP1818.

↔

AWP 1818 CAN ONLY BE INSTALLED HORIZONTALLY.

⏏

AWP 3030 CAN BE INSTALLED HORIZONTALLY OR VERTICALLY.





Dimension Series


Crisp lines and shadows for precision and interest.

With recessed reveals and striking shadow lines, Ribbed and Novenary panels add visual interest when contrasted with smooth surfaces, like glass or metal. Novenary’s terracotta tones blend beautifully with natural surroundings, while Ribbed panels are available in virtually any color.

RIBBED



IVORY



INDIGO



CUSTOM HUES MEET MODERN DESIGN
Ribbed panels are available in custom colors by special order. Learn more on page 6.



Custom color and texture are often used to create depth to make small spaces seem larger. However, even large areas can benefit from these techniques to give flat designs more visual interest.

RIBBED SPECS

	AWP 3030
DIMENSIONS (ACTUAL MM)	17-7/8" H x 119-5/16" L (455MM H x 3030MM L)
THICKNESS (ACTUAL MM)	5/8" (16MM)
WEIGHT (LBS. PER PANEL)	64.60
WEIGHT (LBS. PER SQ. FT.)	4.36
EXPOSED COVERAGE (SQ. FT. PER PANEL)	14.81 SQ. FT.
PACKAGING (PIECES PER PACK)	2 [29.62 SQ. FT.]



AWP 3030 CAN BE INSTALLED HORIZONTALLY OR VERTICALLY.




RIBBED Custom Color

NOVENARY



OPAL




SLATE



SAND



OCHRE



CLAY

NOVENARY SPECS

	AWP 1818
DIMENSIONS (ACTUAL MM)	17-7/8" H x 71-9/16" L (455MM H x 1818MM L)
THICKNESS (ACTUAL MM)	7/8" (21MM)
TILE SIZE	5-3/8" H x 23-1/4" L
WEIGHT (LBS. PER PANEL)	47.8
EXPOSED COVERAGE (SQ. FT. PER PANEL)	8.88 SQ. FT.
PACKAGING (PIECES PER PACK)	2 [17.76 SQ. FT.]



AWP 1818 CAN ONLY BE INSTALLED HORIZONTALLY.



NOVENARY Opal



Textures and tones of distinction.

Textured and colored to evoke the look, feel, and mass of stone block, ArchitecturalBlock and TuffBlock contrast beautifully with glass and metal. ArchitecturalBlock features a micro-embossed grain in your choice of three earth-tones. TuffBlock's texture is more pronounced and is available in five standard earthy shades as well as custom colors.

ARCHITECTURALBLOCK



MOCHA




GRAY



TUSCAN

TUFFBLOCK



STEEL



BAMBOO




WALNUT



PEWTER



TAUPE



ARCHITECTURALBLOCK SPECS

AWP 1818

DIMENSIONS (ACTUAL MM)	17-7/8" H x 71-9/16" L (455MM H x 1818MM L)
THICKNESS (ACTUAL MM)	5/8" (16MM)
WEIGHT (LBS. PER PANEL)	39.71
WEIGHT (LBS. PER SQ. FT.)	4.47
EXPOSED COVERAGE (SQ. FT. PER PANEL)	8.88 SQ. FT.
PACKAGING (PIECES PER PACK)	2 [17.76 SQ. FT.]

TUFFBLOCK SPECS

AWP 1818

DIMENSIONS (ACTUAL MM)	17-7/8" H x 71-9/16" L (455MM H x 1818MM L)
THICKNESS (ACTUAL MM)	5/8" (16MM)
WEIGHT (LBS. PER PANEL)	39.71
WEIGHT (LBS. PER SQ. FT.)	4.47
EXPOSED COVERAGE (SQ. FT. PER PANEL)	8.88 SQ. FT.
PACKAGING (PIECES PER PACK)	2 [17.76 SQ. FT.]



CUSTOM HUES MEET MODERN DESIGN

TuffBlock panels are available in custom colors by special order. Learn more on page 6.





Wood Series

All the natural beauty of real wood. None of the maintenance.

With 15 styles and colors, the Wood Series is our largest and most popular product line. Built to last, our Wood Series panels offer the rich textures of wood, color stability, and extreme weather resistance.

VintageWood exudes modern refinement, works well in both modern and traditional designs, and pairs perfectly with glass, metal, and block panels, adding a touch of warmth to the coolness of these materials. Plus, VintageWood can be installed vertically or horizontally, offering even more design options.

VINTAGEWOOD



BARK



CEDAR



REDWOOD



BLACKWOOD



ASH



SPRUCE




POPLAR

VINTAGEWOOD SPECS	AWP 1818	AWP 3030
DIMENSIONS (ACTUAL MM)	17-7/8" H x 71-9/16" L (455MM H x 1818MM L)	17-7/8" H x 119-5/16" L (455MM H x 3030MM L)
THICKNESS (ACTUAL MM)	5/8" (16MM)	5/8" (16MM)
WEIGHT (LBS. PER PANEL)	38.76	64.60
WEIGHT (LBS. PER SQ. FT.)	4.36	4.36
EXPOSED COVERAGE (SQ. FT. PER PANEL)	8.88 SQ. FT.	14.81 SQ. FT.
PACKAGING (PIECES PER PACK)	2 [17.76 SQ. FT.]	2 [29.62 SQ. FT.]
	 AWP 1818 CAN ONLY BE INSTALLED HORIZONTALLY.	 AWP 3030 CAN BE INSTALLED HORIZONTALLY OR VERTICALLY.





VINTAGEWOOD SMOOTH



WHITE



GRAY



CUSTOM HUES MEET MODERN DESIGN

VintageWood Smooth panels are available in custom colors by special order. Learn more on page 6.

VINTAGEWOOD SMOOTH SPECS	AWP 1818	AWP 3030
DIMENSIONS (ACTUAL MM)	17-7/8" H x 71-9/16" L (455MM H x 1818MM L)	17-7/8" H x 119-5/16" L (455MM H x 3030MM L)
THICKNESS (ACTUAL MM)	5/8" (16MM)	5/8" (16MM)
WEIGHT (LBS. PER PANEL)	40.35	65.25
WEIGHT (LBS. PER SQ. FT.)	4.54	4.41
EXPOSED COVERAGE (SQ. FT. PER PANEL)	8.88 SQ. FT.	14.81 SQ. FT.
PACKAGING (PIECES PER PACK)	2 [17.76 SQ. FT.]	2 [29.62 SQ. FT.]
	 AWP 1818 CAN ONLY BE INSTALLED HORIZONTALLY.	 AWP 3030 CAN BE INSTALLED HORIZONTALLY OR VERTICALLY.

The look of lap siding. The performance of Nichiha.


The classic look of lap siding with exceptional performance. VintageWood Smooth’s ultra-durable panels are resistant to fire, wind, pests, moisture, and rot. They feature a sophisticated look with deep shadow lines that are perfect for custom homes and multifamily facilities alike.





ROUGHSAWN Espresso

ROUGHSAWN



ESPRESSO



TOBACCO



SMOKE

ROUGHSAWN SPECS

AWP 3030

DIMENSIONS (ACTUAL MM)	17-7/8" H x 119-5/16" L (455MM H x 3030MM L)
THICKNESS (ACTUAL MM)	5/8" (16MM)
WEIGHT (LBS. PER PANEL)	64.60
WEIGHT (LBS. PER SQ. FT.)	4.36
EXPOSED COVERAGE (SQ. FT. PER PANEL)	14.81 SQ. FT.
PACKAGING (PIECES PER PACK)	2 [29.62 SQ. FT.]

 AWP 3030 CAN BE INSTALLED HORIZONTALLY OR VERTICALLY.

RIFSAWN



PECAN



CHESTNUT

RIFSAWN SPECS


AWP 1818

DIMENSIONS (ACTUAL MM)	17-7/8" H x 71-9/16" L (455MM H x 1818MM L)
THICKNESS (ACTUAL MM)	3/4" (18MM)
WEIGHT (LBS. PER PANEL)	43.61
WEIGHT (LBS. PER SQ. FT.)	4.91
EXPOSED COVERAGE (SQ. FT. PER PANEL)	8.88 SQ. FT.
PACKAGING (PIECES PER PACK)	2 [17.76 SQ. FT.]

 AWP 1818 CAN ONLY BE INSTALLED HORIZONTALLY.

Rustic has never been so sophisticated.

With its earthy appeal and rich texture, RiftSawn and RoughSawn add rustic flair to a project. They showcase the ridges, grooves, and textures of natural wood while maintaining a consistent length that is easy to work with. RiftSawn is unique in the Wood Series with its full panel design, which incorporates a darker edge to create the look of a reveal.



RIFSAWN Pecan



ROUGHSAWN Smoke



Let your imagination drift.

Adopting its texture from the natural grooves of wood, Natura provides organic yet elegant elements for homes. Natura comes in Rustic White, layering creamy white and tan tones reminiscent of driftwood. Its pattern is unique in the Wood Series, with each panel showcasing four planks of varying heights and a staggered horizontal pattern. With Natura, you enjoy the same benefits as any of our architectural wall panels—easy installation; ultra-durability; and resistance to fire, wind, and pests.

NATURA



RUSTIC WHITE

NATURA SPECS

AWP 1818


DIMENSIONS (ACTUAL MM)	17-7/8" H x 71-9/16" L (455MM H x 1818MM L)
THICKNESS (ACTUAL MM)	5/8" (16MM)
WEIGHT (LBS. PER PANEL)	40.1
WEIGHT (LBS. PER SQ. FT.)	4.5
EXPOSED COVERAGE (SQ. FT. PER PANEL)	8.88 SQ. FT.
PACKAGING (PIECES PER PACK)	2 [17.76 SQ. FT.]

AT A GLANCE


Here is a look at the differences between our Wood Series products.




VINTAGEWOOD | AWP 1818 & AWP 3030
Three planks, full width of panel



ROUGHSAWN | AWP 3030 only
Four planks, consistent heights but staggered horizontally



RIFTSAWN | AWP 1818 only
One plank with a darker reveal at the top



NATURA | AWP 1818 only
Four planks, varied heights and staggered horizontally





Take concrete to new places.

Designed to mimic the natural textures and colors of concrete, our lightweight panels eliminate the curing time, cracking, and color inconsistency associated with concrete. IndustrialBlock offers a distressed look, while EmpireBlock features a unique dimple that ups the industrial chic. Corbosa evokes the look of wet concrete, while ConcreteBoard takes the look of weathered concrete and adds visual complexity with staggered boards of different heights. Plus, IndustrialBlock and EmpireBlock can be installed both vertically and horizontally depending upon your design objectives.

EMPIREBLOCK



EMPIREBLOCK SPECS & INDUSTRIALBLOCK SPECS


DIMENSIONS (ACTUAL MM)	17-7/8" H x 119-5/16" L (455MM H x 3030MM L)
THICKNESS (ACTUAL MM)	5/8" (16MM)
WEIGHT (LBS. PER PANEL)	57.3
WEIGHT (LBS. PER SQ. FT.)	3.8
EXPOSED COVERAGE (SQ. FT. PER PANEL)	14.81 SQ. FT.
PACKAGING (PIECES PER PACK)	2 [29.62 SQ. FT.]

INDUSTRIALBLOCK



AWP 3030

CONCRETEBOARD



CONCRETEBOARD & CORBOSA SPECS

DIMENSIONS (ACTUAL MM)	17-7/8" H x 71-9/16" L (455MM H x 1818MM L)
THICKNESS (ACTUAL MM)	5/8" (16MM)
WEIGHT (LBS. PER PANEL)	40.1
WEIGHT (LBS. PER SQ. FT.)	4.5
EXPOSED COVERAGE (SQ. FT. PER PANEL)	8.88 SQ. FT.
PACKAGING (PIECES PER PACK)	2 [17.76 SQ. FT.]

CORBOSA



SILVER DUST




DARK CLOUD

AWP 1818 CAN ONLY BE INSTALLED HORIZONTALLY.

AWP 1818






Brick Series

PLYMOUTHBRICK | SANDSTONE Gentle Gray

The universal appeal of brick, minus the hassle.

Subtle color variations, stately looks, grout lines, solid looks and feel. It’s all there in the Brick Series. Thanks to a proprietary multi-layered coating process, the beauty of brick is built to last in these fiber cement panels. With five finishes, enjoy the freedom to create the brick home of your choosing without the extra cost, specialized labor, or hassle.

VINTAGEBRICK



ALEXANDRIA BUFF



WHITE WASH



CLASSIC WHITE

VINTAGEBRICK SPECS	AWP 1818
DIMENSIONS (ACTUAL MM)	17-7/8" H x 71-9/16" L (455 MM H x 1818 MM L)
THICKNESS (ACTUAL MM)	3/4" (18 MM)
WEIGHT (LBS. PER PANEL)	42.54
WEIGHT (LBS. PER SQ. FT.)	4.79
EXPOSED COVERAGE (SQ. FT. PER PANEL)	8.88 SQ. FT.
PACKAGING (PIECES PER PACK)	2 [17.76 SQ. FT.]

CANYONBRICK



SHALE BROWN

CANYONBRICK SPECS	AWP 1818
DIMENSIONS (ACTUAL MM)	17-7/8" H x 71-9/16" L (455 MM H x 1818 MM L)
THICKNESS (ACTUAL MM)	5/8" (16 MM)
WEIGHT (LBS. PER PANEL)	37.82
WEIGHT (LBS. PER SQ. FT.)	4.26
EXPOSED COVERAGE (SQ. FT. PER PANEL)	8.88 SQ. FT.
PACKAGING (PIECES PER PACK)	2 [17.76 SQ. FT.]



CANYONBRICK

PLYMOUTHBRICK



CRIMSON

Get the classic look of kiln-fired brick with the modern strength of PlymouthBrick panels.

CUSTOM HUES MEET BRICK DESIGN
VintageBrick panels are available in custom colors by special order. Learn more on page 6.


PLYMOUTHBRICK SPECS	AWP 1818
DIMENSIONS (ACTUAL MM)	17-7/8" H x 71-9/16" L (455 MM H x 1818 MM L)
THICKNESS (ACTUAL MM)	5/8" (16 MM)
WEIGHT (LBS. PER PANEL)	38.76
WEIGHT (LBS. PER SQ. FT.)	4.36
EXPOSED COVERAGE (SQ. FT. PER PANEL)	8.88 SQ. FT.
PACKAGING (PIECES PER PACK)	2 [17.76 SQ. FT.]

MODERNBRICK




MIDNIGHT

MODERNBRICK SPECS	AWP 1818
DIMENSIONS (ACTUAL MM)	17-7/8" H x 71-9/16" L (455 MM H x 1818 MM L)
THICKNESS (ACTUAL MM)	5/8" (16 MM)
WEIGHT (LBS. PER PANEL)	38.76
WEIGHT (LBS. PER SQ. FT.)	4.36
EXPOSED COVERAGE (SQ. FT. PER PANEL)	8.88 SQ. FT.
PACKAGING (PIECES PER PACK)	2 [17.76 SQ. FT.]




MODERNBRICK



The beauty of solid stone at a fraction of the price.

The Masonry Series makes grandeur attainable for any home. With its subtle color and deep texture, Sandstone imparts a traditional aesthetic to any home. Covering approximately nine square feet per panel, installation takes a fraction of the time required by masonry contractors. Plus, with six color options, you have even more possibilities for customization.

SANDSTONE



AUTUMN BROWN



DESERT BEIGE



GENTLE GRAY

SANDSTONE SPECS	AWP 1818
DIMENSIONS (ACTUAL MM)	17-7/8" H x 71-9/16" L (455MM H x 1818MM L)
THICKNESS (ACTUAL MM)	3/4" (18MM)
WEIGHT (LBS. PER PANEL)	39.7
WEIGHT (LBS. PER SQ. FT.)	4.47
EXPOSED COVERAGE (SQ. FT. PER PANEL)	8.88 SQ. FT.
PACKAGING (PIECES PER PACK)	2 [17.76 SQ. FT.]

POLISHED SANDSTONE



PARCHMENT



DUST



MISTY GRAY

POLISHED SANDSTONE SPECS	AWP 1818
DIMENSIONS (ACTUAL MM)	17-7/8" H x 71-9/16" L (455MM H x 1818MM L)
THICKNESS (ACTUAL MM)	3/4" (18MM)
WEIGHT (LBS. PER PANEL)	43.61
WEIGHT (LBS. PER SQ. FT.)	4.91
EXPOSED COVERAGE (SQ. FT. PER PANEL)	8.88 SQ. FT.
PACKAGING (PIECES PER PACK)	2 [17.76 SQ. FT.]



NO MORTAR, NO MESS

Prefinished panels eliminate the need for messy mortar or costly masonry-skilled labor, while still providing a textured finish and enduring design aesthetic.



ESSENTIAL FLASHING

Create a clean, polished look for your homes with the highest level of precision.



COMPRESSION JOINT FLASHING (10')

Used in conjunction with Ultimate Horizontal/Vertical Starter Tracks at floor joists in buildings that require compression joints. Can be painted or powder coated to match panels.

THICKNESS	10MM
PACKAGING (LN. FT. PER TUBE)	50



OVERHANG FLASHING (10') - JOH7288

Used at the base of overhangs, bump-outs or porte-cochères.


THICKNESS	10MM
PACKAGING (LN. FT. PER BOX)	40



OVERHANG FLASHING INSIDE CORNER - JOH7288D

Used in conjunction with Overhang Flashing at inside corners.

THICKNESS	10MM
PACKAGING (PCS PER PACK)	2



OVERHANG FLASHING OUTSIDE CORNER - JOH7288B

Used in conjunction with Overhang Flashing at outside corners.


THICKNESS	10MM
PACKAGING (PCS PER PACK)	2



OVERHANG FLASHING CLIP - JOH7288S

Placed at seams where Overhang Flashing and corners meet.


THICKNESS	10MM
PACKAGING (PCS PER PACK)	1



STARTER FLASHING (10') - FTD4788

Used in conjunction with the Ultimate Horizontal/Vertical Starter Tracks at the bottom of a building.

THICKNESS	10MM
PACKAGING (LN. FT. PER BOX)	50



STARTER FLASHING OUTSIDE CORNER - FTD4788B

Used in conjunction with Starter Flashing at outside corners.

THICKNESS	10MM
PACKAGING (PCS PER PACK)	4




STARTER FLASHING INSIDE CORNER - FTD4788D

Used in conjunction with Starter Flashing at inside corners.

THICKNESS	10MM
PACKAGING (PCS PER PACK)	4

Nichiha takes accessory protection to the next level with a removable film layer. Once installed, simply peel off the film to reveal blemish-free fixtures.



Our starter flashing serves a dual role — ensuring your project is polished to perfection, and operating as a bug screen to keep annoying pests away.

*This accessory is designed for use in the prescribed manner with designated Nichiha products only. Use with other products or in other manners is not warranted.

INSTALLATION HARDWARE

Easily take your vision from the drawing board to reality.



ULTIMATE CLIP II WITH JOINT TAB ATTACHMENT - JEL778* & JEL788**

Creates a hidden fastening system that all but eliminates face fastening. The joint tab helps support panel lateral stability.

THICKNESS	10MM
PACKAGING (PCS PER BOX)	30



ULTIMATE HORIZONTAL STARTER TRACK (10') - FA700

Ensures a fast, level installation. Its patented drainage channel directs water out and away from the base of the wall.

THICKNESS	10MM
PACKAGING (LN. FT. PER BOX)	100



ULTIMATE VERTICAL STARTER TRACK (10') - FA710T

Ensures a fast, level installation with 3030 panels. Its patented drainage channel directs water out and away from the base of the wall.

THICKNESS	10MM
PACKAGING (LN. FT. PER BOX)	100



SINGLE FLANGE SEALANT BACKER (6.5') - FHK1015R

Used for vertical jambs at doors and windows and at inside corners of the building.

THICKNESS	10MM
PACKAGING (LN. FT. PER BOX)	65



DOUBLE FLANGE SEALANT BACKER (10') - FH1015R

Used for vertical expansion joints. Placed at the end of each 3030 panel, and every 30' with 1818 panels and with the preformed outside corner.

THICKNESS	10MM
PACKAGING (LN. FT. PER BOX)	100



CORRUGATED SHIM (4') - FS1005 & FS1010

Used for face fastening where required (top of building, doors, windows, etc.)

THICKNESS (FS1005)	5MM
THICKNESS (FS1010)	10MM
PACKAGING (LN. FT. PER BOX)	200



CORNER CLIP - JE777C* & JE787C**

Corner clip for the preformed Nichiha fiber cement corners.

THICKNESS	10MM
PACKAGING (PCS PER BOX)	6



CORNERS

Prefinished corners are used in conjunction with horizontal panel installation.

17 7/8"H x 3-1/2" [face]
1818MM H x 88.9MM [face]

*JEL778 and JE777C are compatible with all panels except SandStone and VintageBrick.
**JEL788 and JE787C are compatible with SandStone and VintageBrick only.
***This accessory is designed for use in the prescribed manner with designated Nichiha products only. Use with other products or in other manners is not warranted.


Efficient installation.
Rainscreen performance.

THE ULTIMATE CLIP

creates a hidden fastening system that all but eliminates face fastening. Installation is quick and easy and never requires specialty subcontractors.

NICHIHA ARCHITECTURAL WALL PANELS

are lightweight, easy to handle, and available in a virtually endless color palette and a diverse offering of textural finishes.



NICHIHA'S JOINT TAB ATTACHMENT

is designed to support panel lateral stability, helping vertical joints stay tightly closed. The tab fits in place easily and is fastened to the Ultimate Clip with provided screw.

DRAINED AND BACK-VENTILATED RAINSCREEN

design allows water to escape and air to circulate, reducing the risk of mold and water damage inside the building.

THE ULTIMATE STARTER TRACK

pulls double duty. It ensures a fast, level installation, and its patented drainage channel directs water out and away from the base of the wall.



EASY INSTALLATION

Time-saving clip installation system that reduces construction time and minimizes mistakes.



NO MORTAR, NO MESS

Prefinished panels eliminate the need for messy mortar or costly masonry-skilled labor.



ANY-WEATHER PRODUCT

Products can be installed year round in any climate across the country. No geographical restrictions mean more possibilities.



LOW MAINTENANCE

No-fuss products. Little ongoing cleaning or regular maintenance needed. Bring your vision to life and ensure it looks great for years to come.




ENGINEERED FOR PERFORMANCE

Go beyond our durable panels and discover a meticulously engineered moisture management system that provides a vertical drainage point for air and moisture to exit.


METAL ONE-PIECE TRIM

With our customized metal trim, your project practically finishes itself.




CORNER KEY
Extrusion used at outside corners instead of a preformed corner. A vertical expansion joint is required 2' to 12' from the corner when using this corner.

DIMENSIONS	3" x 10'
(NOM. FT. ~ ACTUAL MM)	(76.2MM x 3030MM)
PACKAGING (LN. FT. PER TUBE)	50



OPEN OUTSIDE CORNER
Extrusion used at outside corners instead of a preformed corner. A vertical expansion joint is required 2' to 12' from the corner when using this corner.

DIMENSIONS	2.96" x 10'
(NOM. FT. ~ ACTUAL MM)	(75MM x 3030MM)
PACKAGING (LN. FT. PER TUBE)	50




INSIDE CORNER
Used where two Nichiha panels meet in an inside corner; alternative to Single Flange Sealant Backer with sealant.

DIMENSIONS	3.4" x 10'
(NOM. FT. ~ ACTUAL MM)	(86.4MM x 3030MM)
PACKAGING (LN. FT. PER TUBE)	50



H-MOLD
Can be used at the end of 3030 panels instead of the Double Flange Sealant Backer, but not at the preformed outside corners.

DIMENSIONS	2" x 10'
(NOM. FT. ~ ACTUAL MM)	(50.8MM x 3030MM)
PACKAGING (LN. FT. PER TUBE)	50



J-MOLD
Can be used instead of Single Flange Sealant Backer at vertical jambs for doors and windows, but not at the inside corners of the building.

DIMENSIONS	0.375" x 10'
(NOM. FT. ~ ACTUAL MM)	(9.5MM x 3030MM)
PACKAGING (LN. FT. PER TUBE)	50

Our trim gives you options

All of our metal trim is available in four finishes: primed, clear anodized, powder coated, or custom color. For pricing and lead times, view our Price Catalog at nichiha.com/price-catalog.



 For popular panels like VintageWood, we've made ordering easier by color matching all of our trim profiles for faster delivery.




 Nichiha can customize trim to match any color you use on custom color panels.



**This accessory is designed for use in the prescribed manner with designated Nichiha products only. Use with other products or in other manners is not warranted.*


NEW METAL TWO-PIECE TRIM

Introducing our new Two-Piece Trim—engineered for easier installation, done in a snap.




J-MOLD
For use around window and door jambs, ideal for tight-fit situations.

DIMENSIONS	1.25" x 10'
(NOM. FT. ~ ACTUAL MM)	(86.4MM x 3030MM)
PACKAGING (LN. FT. PER TUBE)	50




DEEP-J
For use with a 7/8" furring system behind our panels.

DIMENSIONS	2.1" x 10'
(NOM. FT. ~ ACTUAL MM)	(53.34MM x 3030MM)
PACKAGING (LN. FT. PER TUBE)	50




T-CAP MOLD
Conceals face fasteners along the bottom of openings such as windows and where panel meets soffit.

DIMENSIONS	1.5" x 10'
(NOM. FT. ~ ACTUAL MM)	(38.1MM x 3030MM)
PACKAGING (LN. FT. PER TUBE)	50



H-MOLD
Provides a smooth seam for vertical joints. Can be used as an expansion joint for both 1818 and 3030 panels for a no-sealant install.

DIMENSIONS	1.35" x 10'
(NOM. FT. ~ ACTUAL MM)	(34.3MM x 3030MM)
PACKAGING (LN. FT. PER TUBE)	50



CORNER KEY
Easy corners with a 2 1/4" reveal to cover face fasteners for vertical installations.

DIMENSIONS	2.25" x 10'
(NOM. FT. ~ ACTUAL MM)	(57.2MM x 3030MM)
PACKAGING (LN. FT. PER TUBE)	50



COMPRESSION Z FLASHING

DIMENSIONS	4" x 10'
(NOM. FT. ~ ACTUAL MM)	(101.6MM x 3030MM)
PACKAGING (LN. FT. PER TUBE)	50



Nichiha's **two-piece metal trim** system provides a solution for corners, penetrations, transitions, and vertical joints, while maintaining a clean, consistent finish.

**This accessory is designed for use in the prescribed manner with designated Nichiha products only. Use with other products or in other manners is not warranted.*

PREMIUM SIDING



Traditional beauty. Uncommon durability.

Savannah Smooth and Sierra Shake offer two traditional looks with equally gorgeous appeal. Due to their half-inch thick commercial-grade construction that enhances their all-weather durability, both cast dramatic shadow lines for a premium look discerning homeowners will appreciate.




Scan here to explore Nichiha Premium Siding.





SAVANNAH SMOOTH



PRIMED

SAVANNAH SMOOTH SPECS	6-1/4"	7-1/4"	8-1/4"
HEIGHT (NOM. IN./ACTUAL MM)	6-1/4" (158.75MM)	7-1/4" (186MM)	8-1/4" (209.55MM)
LENGTH (NOM. FT./ACTUAL MM)	9' 4" (2845MM)	9' 4" (2845MM)	9' 4" (2845MM)
THICKNESS (NOM. IN./ACTUAL MM)	1/2" (12MM)	1/2" (12MM)	1/2" (12MM)
WEIGHT (LBS./BOARD)	14.2	16.4	18.7
WEIGHT (LBS./SQ. FT.)	3.1	3.1	3.1
COVERAGE (SQ. FT./BOARD)	4.86	5.64	6.41
EXPOSED COVERAGE (SQ. FT./BOARD W/ 1-1/4" OVERLAP)	3.89	4.67	5.44
PACKAGING (BOARDS/PALLET)	300	250	200



Step up to Savannah Smooth.

Savannah Smooth provides the ultimate in aesthetic precision and durability to withstand the harshest environments. The siding comes pre-primed and provides gorgeous shadow lines with head-turning beauty that endures for decades.





SIERRA SHAKE Charcoal

Ascend to Sierra Shake.

Sierra Shake creates dramatic depth with the look of individual shakes while far outperforming the traditional wood types. Not only does Sierra Shake cladding require less maintenance, it also stands up to the elements with ease. Available pre-primed or in four classic colors.

SIERRA SHAKE



MAHOGANY



MAPLE



CHARCOAL



SMOKE



PRIMED

SIERRA SHAKE SPECS

HEIGHT (NOM. IN. / ACTUAL MM)	8-7/8" (225.4MM)
LENGTH (NOM. FT. / ACTUAL MM)	9' 4" (2845MM)
THICKNESS (NOM. IN. / ACTUAL MM)	1/2" (12MM)
WEIGHT (LBS./BOARD)	22.1
WEIGHT (LBS./SQ. FT.)	3
COVERAGE (SQ. FT./BOARD)	7
EXPOSED COVERAGE (SQ. FT./BOARD W/ 1-1/4" OVERLAP)	6.06
PACKAGING (BOARDS/PALLET)	200 primed 160 pre-finished



SIERRA SHAKE Smoke



SIERRA SHAKE



SIERRA SHAKE



SIERRA SHAKE



Enjoy low maintenance and lasting curb appeal.

Nichiha products' solid, substantial, and proven fiber cement construction affords a host of key performance benefits that reduce the costly and recurring maintenance of real wood, extend lifespan, and enhance safety.



FIRE RESISTANT



ROT RESISTANT



PEST RESISTANT



WARP RESISTANT



WIND RESISTANT



Scan here to learn how Nichiha products enhance building resiliency.



Naturally above and beyond.

Nichiha fiber cement products are manufactured with our health and planet in mind. Nichiha products contain no plastics and are comprised of fly ash, a byproduct of coal combustion, along with sand and cellulose fiber. When you choose Nichiha cladding, you can feel good about using a product with low environmental impact.

We have a long history of conserving resources and employing manufacturing best practices.

90%


of all materials used in our process are sourced within 200 miles of our facility.*

95%

of the water used to make our products is recaptured, processed and used again.*

100%

of our pre-cured fiber cement scrap is reused.



EVERY GREAT ARCHITECT
IS — NECESSARILY — A GREAT POET.
HE MUST BE A GREAT ORIGINAL INTERPRETER
OF HIS TIME, HIS DAY, HIS AGE.

FRANK LLOYD WRIGHT

VINTAGEWOOD Spruce



Pro resources at your fingertips.

Whether you are an architect, contractor, installer, or builder, Nichiha ensures that you have all the information you need to make your project go as smoothly as possible. Our website offers a comprehensive collection of technical information, installation videos, architectural details, in-depth specifications, and everything you need to know about installing Nichiha products.



Scan here to visit our resource center.

Warranties and certifications.

AWP WARRANTIES

- ARCHITECTURAL WALL PANELS
 - 15-year limited warranty* on panels
 - 15-year limited warranty* on finish
- METAL TRIM
 - TAMLYN warrants defective-free products for a period of 10 years for the original purchaser. Please visit tamlyn.com for detailed information on terms, conditions, and limitations.



WUI



Intertek

CCRR-0299



Build America,
Buy America
Compliant



Canada CCMC

PREMIUM SIDING WARRANTIES

- Sierra Shake & Savannah Smooth
 - 30-year limited warranty*



WUI



Intertek

CCRR-0299



Contains up to
45% Recycled
Content*



Build America,
Buy America
Compliant

*See Nichiha warranties for detailed information on terms, conditions, and limitations. Visit nichiha.com for easily downloadable warranties, or call toll-free 1.866.424.4421 for a copy. Nichiha MSDS is available at nichiha.com, at your local Nichiha dealer, or call Nichiha direct toll-free 1.866.424.4421.

SILICA DUST WARNING: Nichiha products may contain some amounts of crystalline silica (a.k.a. sand, silicon dioxide), which is a naturally occurring mineral. The amount will vary from product to product. Inhalation of crystalline silica into the lungs and repeated exposure to silica can cause health disorders, such as silicosis, lung cancer, or death depending upon various factors. To be conservative, Nichiha recommends that whenever cutting, sawing, sanding, sniping, or abrading the product, users observe the Safety Instructions above. For further information or questions, please consult the MSDS, your employer, or visit www.osha.gov/slc/silicacrystalline/index.html and www.cdc.gov/niosh/topics/silica. The MSDS for Nichiha products are available at www.nichiha.com, at your local Nichiha dealer, or through Nichiha directly at 1.866.424.4421. FAILURE TO ADHERE TO OUR WARNINGS, MSDS, AND OTHER INSTRUCTION MAY LEAD TO SERIOUS PERSONAL INJURY OR DEATH.



FIND YOUR
A-HA MOMENT



NICHIHA.COM

©2026 Nichiha USA, Inc. All rights reserved. V02.26



Scan here to access the digital catalog