




# Architectural Wall Panel SYSTEM




---


## A-ha. You found Nichiha.

For more than 25 years, Nichiha has provided architects, designers, owners, and developers with resilient, durable, versatile exterior cladding options that achieve design precision like never before. We invite you to explore the remarkable possibilities achievable with Nichiha's Architectural Wall Panel system for your next project.





30 | BRICK SERIES



32 | MASONRY SERIES



34 | ESSENTIAL FLASHING



36 | INSTALLATION HARDWARE & TRIM







---

## Multiple looks. One source.

With the Nichiha AWP system, you can freely mix and match cladding styles. Whether you're looking for metal, stone, wood, concrete, or brick, you'll find them all here. Plus, all of our panel styles install with the same hardware.



Scan here to explore our website.



#### USEFUL TIP

Add the finishing touches to your next project with our Essential Flashing on page 32.

---

# CUSTOM COLORS

The custom color option lets you express your unique vision.



Nichiha's custom color option provides design freedom that most cladding products don't: virtually any color you can imagine. The three-step process is simple:

- ① Choose the exact color you want.
- ② Connect with a Nichiha representative who will coordinate the delivery of swatches.
- ③ Sign off on your color selection.

This premium feature is available for Illumination, Ribbed, VintageWood Smooth and TuffBlock panels and has no minimum order required. In addition to offering matching trim pieces, custom colors are backed by a 15-year limited factory-applied finish warranty.

---

\*See Nichiha warranties for detailed information on terms, conditions, and limitations.



#### LOOK FOR THIS ICON

You'll see this icon next to the products available in custom colors:  
Illumination, Ribbed, VintageWood Smooth and TuffBlock.



VINTAGEWOOD Cedar

---


## Interior Style with an Exterior Heritage

Achieve the enduring look and feel of wood, stone, poured concrete, thin brick, and more for your interior space with Nichiha Architectural Wall Panels (AWP).

Using the same trusted installation system and durable panels proven in exterior applications, AWP delivers sophisticated interior aesthetics without compromise.

Installed directly to ordinary interior wall substrates using a universal clip installation system, AWP achieves the high-end look of brick, stone, concrete, and more without the need for traditional grout and mortar adhesives.

Get the design flexibility you want with the proven performance you need



#### IMPORTANT

No mortar means no mess, as well as no need for specialized trades or lengthy curing times.



# Designer Series

ILLUMINATION Custom Color

---

## Polished sophistication in color.

Elevated, contemporary style with Nichiha's superior performance to match. That's the hallmark of our Designer Series featuring Illumination and Miraia.

With a sleek satin finish, the easy-to-install Illumination wall panels are perfect for your next modern project. And with our revolutionary custom color option, the design possibilities are virtually endless.



|                                      | AWP 1818                                       | AWP 3030                                        |
|--------------------------------------|------------------------------------------------|-------------------------------------------------|
| DIMENSIONS (ACTUAL MM)               | 17-7/8" H x 71-9/16" L<br>(455MM H x 1818MM L) | 17-7/8" H x 119-5/16" L<br>(455MM H x 3030MM L) |
| THICKNESS (ACTUAL MM)                | 5/8" (16MM)                                    | 5/8" (16MM)                                     |
| WEIGHT (LBS. PER PANEL)              | 39.71                                          | 66.18                                           |
| WEIGHT (LBS. PER SQ. FT.)            | 4.47                                           | 4.47                                            |
| EXPOSED COVERAGE (SQ. FT. PER PANEL) | 8.88 SQ. FT.                                   | 14.81 SQ. FT.                                   |
| PACKAGING (PIECES PER PACK)          | 2 [17.76 SQ. FT.]                              | 2 [29.62 SQ. FT.]                               |



CUSTOM HUES MEET MODERN DESIGN


Illumination panels are available in custom colors by special order. Learn more on page 6.



AWP 1818 CAN ONLY BE INSTALLED HORIZONTALLY.



AWP 3030 CAN BE INSTALLED HORIZONTALLY OR VERTICALLY.





ILLUMINATION Fog, Graphite, Nickel, Raven | VINTAGEWOOD Redwood

---

## Long-lasting color. Short lead times.

With its satin finish, flat surface, and virtually limitless color palette, Illumination provides far more value than aluminum composite and phenolic panels. It is available in eight stock colors with reliable shipping options and ensuring that your orders arrive as quickly as possible as well as any custom color to perfectly achieve your vision.

ILLUMINATION



BLANC  
ED680M-BLANC



FOG  
ED680M-FOG



NICKEL  
ED680M-NICKEL



GRAPHITE  
ED680M-GRAPHITE



BAY BLUE  
ED680M-BAYBLUE



LAVA  
ED680M-LAVA



SCARLET  
ED680M-SCARLET



RAVEN  
ED680M-RAVEN

ILLUMINATION SPECS

DIMENSIONS (ACTUAL MM)

THICKNESS (ACTUAL MM)

WEIGHT (LBS. PER PANEL)

WEIGHT (LBS. PER SQ. FT.)

EXPOSED COVERAGE (SQ. FT. PER PANEL)

PACKAGING (PIECES PER PACK)

AWP 1818

17-7/8" H x 71-9/16" L  
(455MM H x 1818MM L)

5/8" (16MM)

39.71

4.47


8.88 SQ. FT.

2 [17.76 SQ. FT.]



AWP 1818 CAN ONLY BE  
INSTALLED HORIZONTALLY.






MIRAIA Onyx | VINTAGEWOOD Cedar

---

## Reflect a higher standard.

High-design projects require luxe, head-turning cladding like Miraia. Miraia offers a reflective, high-gloss finish, which is perfect for design accents or a more affordable alternative to metal.


MIRAIA



SNOW



GLACIER




ONYX

NOTE: Miraia panels are only available with metal trim corner options.  
Prefinished corners are not available. See page 35 for more information.

MIRAIA SPECS

AWP 1818

|                                      |                                                |
|--------------------------------------|------------------------------------------------|
| DIMENSIONS (ACTUAL MM)               | 17-7/8" H x 71-9/16" L<br>(455MM H x 1818MM L) |
| THICKNESS (ACTUAL MM)                | 5/8" (16MM)                                    |
| WEIGHT (LBS. PER PANEL)              | 37.9                                           |
| WEIGHT (LBS. PER SQ. FT.)            | 4.27                                           |
| EXPOSED COVERAGE (SQ. FT. PER PANEL) | 8.88 SQ. FT.                                   |
| PACKAGING (PIECES PER PACK)          | 2 [17.76 SQ. FT.]                              |





# Dimension Series

RIBBED Custom Color


---

## Crisp lines and shadows for precision and interest.

With recessed reveals and striking shadow lines, Ribbed and Novenary panels add visual interest, especially when contrasted with smooth surfaces. Novenary's terracotta tones blend beautifully with natural surroundings, while Ribbed panels are available in virtually any color.



IVORY



INDIGO



**CUSTOM HUES MEET MODERN DESIGN**


Ribbed panels are available in custom colors by special order. Learn more on page 6.



Custom color and texture are often used to create depth to make small spaces seem larger. However, even large areas can benefit from these techniques to give flat designs more visual interest.

| RIBBED SPECS                         | AWP 3030                                        |
|--------------------------------------|-------------------------------------------------|
| DIMENSIONS (ACTUAL MM)               | 17-7/8" H x 119-5/16" L<br>(455MM H x 3030MM L) |
| THICKNESS (ACTUAL MM)                | 5/8" (16MM)                                     |
| WEIGHT (LBS. PER PANEL)              | 64.60                                           |
| WEIGHT (LBS. PER SQ. FT.)            | 4.36                                            |
| EXPOSED COVERAGE (SQ. FT. PER PANEL) | 14.81 SQ. FT.                                   |
| PACKAGING (PIECES PER PACK)          | 2 [29.62 SQ. FT.]                               |


 AWP 3030 CAN BE INSTALLED HORIZONTALLY OR VERTICALLY.




NOVENARY




OPAL




SLATE



SAND



OCHRE



CLAY

| NOVENARY SPECS                       | AWP 1818                                       |
|--------------------------------------|------------------------------------------------|
| DIMENSIONS (ACTUAL MM)               | 17-7/8" H x 71-9/16" L<br>(455MM H x 1818MM L) |
| THICKNESS (ACTUAL MM)                | 7/8" (21MM)                                    |
| TILE SIZE                            | 5-3/8" H x 23-1/4" L                           |
| WEIGHT (LBS. PER PANEL)              | 47.8                                           |
| EXPOSED COVERAGE (SQ. FT. PER PANEL) | 8.88 SQ. FT.                                   |
| PACKAGING (PIECES PER PACK)          | 2 [17.76 SQ. FT.]                              |

 AWP 1818 CAN ONLY BE INSTALLED HORIZONTALLY.





# Modern Series

ARCHITECTURALBLOCK *Tuscan* | RIBBED *Custom Color*

---

## Take modern to the next level with distinct textures and tones.

Textured and colored to evoke the look, feel, and mass of stone block, ArchitecturalBlock and TuffBlock contrast beautifully with glass. ArchitecturalBlock features a micro-embossed grain in your choice of three earth tones. TuffBlock's texture is more pronounced and is available in five standard earthy shades as well as custom colors.

ARCHITECTURALBLOCK



MOCHA




GRAY




TUSCAN


TUFFBLOCK 




STEEL



BAMBOO



WALNUT



PEWTER

ARCHITECTURALBLOCK SPECS

AWP 1818

|                                      |                                                |
|--------------------------------------|------------------------------------------------|
| DIMENSIONS (ACTUAL MM)               | 17-7/8" H x 71-9/16" L<br>(455MM H x 1818MM L) |
| THICKNESS (ACTUAL MM)                | 5/8" (16MM)                                    |
| WEIGHT (LBS. PER PANEL)              | 39.71                                          |
| WEIGHT (LBS. PER SQ. FT.)            | 4.47                                           |
| EXPOSED COVERAGE (SQ. FT. PER PANEL) | 8.88 SQ. FT.                                   |
| PACKAGING (PIECES PER PACK)          | 2 [17.76 SQ. FT.]                              |

TUFFBLOCK SPECS

AWP 1818

|                                      |                                                |
|--------------------------------------|------------------------------------------------|
| DIMENSIONS (ACTUAL MM)               | 17-7/8" H x 71-9/16" L<br>(455MM H x 1818MM L) |
| THICKNESS (ACTUAL MM)                | 5/8" (16MM)                                    |
| WEIGHT (LBS. PER PANEL)              | 39.71                                          |
| WEIGHT (LBS. PER SQ. FT.)            | 4.47                                           |
| EXPOSED COVERAGE (SQ. FT. PER PANEL) | 8.88 SQ. FT.                                   |
| PACKAGING (PIECES PER PACK)          | 2 [17.76 SQ. FT.]                              |




CUSTOM HUES MEET MODERN DESIGN

TuffBlock panels are available in custom colors by special order. Learn more on page 6.



ARCHITECTURALBLOCK Gray



TUFFBLOCK Steel | ILLUMINATION Fog



# Wood Series

VINTAGEWOOD Cedar

---

## All the natural beauty of real wood. Without all of the maintenance.

With 15 styles and colors, the Wood Series is our largest and most popular product line. Built to last, our Wood Series panels offer the rich textures of wood, color stability, and extreme weather resistance.

VintageWood exudes modern refinement, works well in both modern and traditional designs, and pairs perfectly with glass and block panels, adding a touch of warmth to the coolness of these materials. Plus, VintageWood can be installed vertically or horizontally, offering even more design options.

## VINTAGEWOOD



BARK



ASH




CEDAR



SPRUCE



REDWOOD



POPLAR



BLACKWOOD

### VINTAGEWOOD SPECS

#### AWP 1818

#### AWP 3030

|                                      |                                                |                                                 |
|--------------------------------------|------------------------------------------------|-------------------------------------------------|
| DIMENSIONS (ACTUAL MM)               | 17-7/8" H x 71-9/16" L<br>(455MM H x 1818MM L) | 17-7/8" H x 119-5/16" L<br>(455MM H x 3030MM L) |
| THICKNESS (ACTUAL MM)                | 5/8" (16MM)                                    | 5/8" (16MM)                                     |
| WEIGHT (LBS. PER PANEL)              | 38.76                                          | 64.60                                           |
| WEIGHT (LBS. PER SQ. FT.)            | 4.36                                           | 4.36                                            |
| EXPOSED COVERAGE (SQ. FT. PER PANEL) | 8.88 SQ. FT.                                   | 14.81 SQ. FT.                                   |
| PACKAGING (PIECES PER PACK)          | 2 [17.76 SQ. FT.]                              | 2 [29.62 SQ. FT.]                               |



AWP 1818 CAN ONLY BE  
INSTALLED HORIZONTALLY.



AWP 3030 CAN BE INSTALLED  
HORIZONTALLY OR VERTICALLY.



VINTAGEWOOD Ash



VINTAGEWOOD Cedar + Bark




VINTAGEWOOD SMOOTH White + Custom Color | STOCK ILLUMINATION Blanc | MODERNBRICK

---

## The look of shiplap. The performance of Nichiha.

The classic look of shiplap with exceptional performance. VintageWood Smooth's ultra-durable panels are resistant to fire, wind, pests, moisture, and rot. They feature a sophisticated look with deep shadow lines that are perfect for multifamily and light commercial construction.



WHITE



GRAY



**CUSTOM HUES MEET MODERN DESIGN**

VintageWood Smooth panels are available in custom colors by special order. Learn more on page 6.

| VINTAGEWOOD SMOOTH SPECS             | AWP 1818                                                                                                                         | AWP 3030                                                                                                                                    |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| DIMENSIONS (ACTUAL MM)               | 17-7/8" H x 71-9/16" L<br>(455MM H x 1818MM L)                                                                                   | 17-7/8" H x 119-5/16" L<br>(455MM H x 3030MM L)                                                                                             |
| THICKNESS (ACTUAL MM)                | 5/8" (16MM)                                                                                                                      | 5/8" (16MM)                                                                                                                                 |
| WEIGHT (LBS. PER PANEL)              | 40.35                                                                                                                            | 65.26                                                                                                                                       |
| WEIGHT (LBS. PER SQ. FT.)            | 4.54                                                                                                                             | 4.41                                                                                                                                        |
| EXPOSED COVERAGE (SQ. FT. PER PANEL) | 8.88 SQ. FT.                                                                                                                     | 14.81 SQ. FT.                                                                                                                               |
| PACKAGING (PIECES PER PACK)          | 2 [17.76 SQ. FT.]                                                                                                                | 2 [29.62 SQ. FT.]                                                                                                                           |
|                                      |  AWP 1818 CAN ONLY BE INSTALLED HORIZONTALLY. |  AWP 3030 CAN BE INSTALLED HORIZONTALLY OR VERTICALLY. |



VINTAGEWOOD SMOOTH *Custom Color*



VINTAGEWOOD SMOOTH *White*




RIFTSAWN *Chestnut*

---

## Rustic has never been so sophisticated.

With its earthy appeal and rich texture, RiftSawn and RoughSawn add rustic flair to a project. They showcase the ridges, grooves, and textures of natural wood while maintaining a consistent length that is easy to work with. RiftSawn is unique in the Wood Series with its full panel design, which incorporates a darker edge to create the look of a reveal.

ROUGHSAWN



CHARCOALROAST



SADDLEWOOD




SMOKE

| ROUGHSAWN SPECS                      | AWP 3030                                        |
|--------------------------------------|-------------------------------------------------|
| DIMENSIONS (ACTUAL MM)               | 17-7/8" H x 119-5/16" L<br>(455MM H x 3030MM L) |
| THICKNESS (ACTUAL MM)                | 5/8" (16MM)                                     |
| WEIGHT (LBS. PER PANEL)              | 64.60                                           |
| WEIGHT (LBS. PER SQ. FT.)            | 4.36                                            |
| EXPOSED COVERAGE (SQ. FT. PER PANEL) | 14.81 SQ. FT.                                   |
| PACKAGING (PIECES PER PACK)          | 2 [29.62 SQ. FT.]                               |




AWP 3030 CAN BE INSTALLED HORIZONTALLY OR VERTICALLY.



ROUGHSAWN Smoke | ILLUMINATION Custom Color

RIFTSAWN



PECAN



CHESTNUT

| RIFTSAWN SPECS                       | AWP 1818                                       |
|--------------------------------------|------------------------------------------------|
| DIMENSIONS (ACTUAL MM)               | 17-7/8" H x 71-9/16" L<br>(455MM H x 1818MM L) |
| THICKNESS (ACTUAL MM)                | 3/4" (18MM)                                    |
| WEIGHT (LBS. PER PANEL)              | 43.61                                          |
| WEIGHT (LBS. PER SQ. FT.)            | 4.91                                           |
| EXPOSED COVERAGE (SQ. FT. PER PANEL) | 8.88 SQ. FT.                                   |
| PACKAGING (PIECES PER PACK)          | 2 [17.76 SQ. FT.]                              |



AWP 1818 CAN ONLY BE INSTALLED HORIZONTALLY.



RIFTSAWN Pecan




NATURA Rustic White | RIBBED Ivory | ILLUMINATION Custom Color

---

## Let your imagination drift.

Natura layers creamy white and tan tones reminiscent of driftwood. Its pattern is unique in the Wood Series, with each panel showcasing four planks of varying heights and a staggered horizontal pattern. With Natura, you enjoy the same benefits as any of our Architectural Wall Panels—easy installation; ultra-durability; and resistance to fire, wind, and pests.

NATURA



RUSTIC WHITE


NATURA SPECS

AWP 1818


|                                      |                                                |
|--------------------------------------|------------------------------------------------|
| DIMENSIONS (ACTUAL MM)               | 17-7/8" H x 71-9/16" L<br>(455MM H x 1818MM L) |
| THICKNESS (ACTUAL MM)                | 5/8" (16MM)                                    |
| WEIGHT (LBS. PER PANEL)              | 40.1                                           |
| WEIGHT (LBS. PER SQ. FT.)            | 4.5                                            |
| EXPOSED COVERAGE (SQ. FT. PER PANEL) | 8.88 SQ. FT.                                   |
| PACKAGING (PIECES PER PACK)          | 2 [17.76 SQ. FT.]                              |

AT A GLANCE


Here's a look at the differences between our Wood Series products.



VINTAGEWOOD | AWP 1818 & AWP 3030  
Three planks, full width of panel




ROUGHSAWN | AWP 3030 only  
Four planks, consistent heights but staggered horizontally




RIFTSAWN | AWP 1818 only  
One plank with a darker reveal at the top



NATURA | AWP 1818 only  
Four planks, varied heights and staggered horizontally



NATURA *Rustic White* | RIBBED *Ivory*  
ILLUMINATION *Custom Color*



NATURA *Rustic White*



# Concrete Series


INDUSTRIALBLOCK | ILLUMINATION *Custom Color*

---

## Take concrete to new places.

Designed to mimic the natural textures and colors of concrete, our lightweight panels eliminate curing time, cracking, and color inconsistency associated with concrete. IndustrialBlock offers a distressed look, while EmpireBlock features a unique dimple that ups the industrial chic, and Corbosa evokes the look of wet concrete. Plus, IndustrialBlock and EmpireBlock can be installed both vertically and horizontally depending upon your design objectives.


EMPIREBLOCK



EMPIREBLOCK SPECS & INDUSTRIALBLOCK SPECS


|                                      |                                                 |
|--------------------------------------|-------------------------------------------------|
| DIMENSIONS (ACTUAL MM)               | 17-7/8" H x 119-5/16" L<br>(455MM H x 3030MM L) |
| THICKNESS (ACTUAL MM)                | 5/8" (16MM)                                     |
| WEIGHT (LBS. PER PANEL)              | 66.18                                           |
| WEIGHT (LBS. PER SQ. FT.)            | 4.47                                            |
| EXPOSED COVERAGE (SQ. FT. PER PANEL) | 14.81 SQ. FT.                                   |
| PACKAGING (PIECES PER PACK)          | 2 [29.62 SQ. FT.]                               |

INDUSTRIALBLOCK



AWP 3030

CONCRETEBOARD



CONCRETEBOARD | AWP 1818 only  
Four planks, varied heights and staggered horizontally

CORBOSA



SILVER DUST



DARK CLOUD

AWP 1818 CAN ONLY BE INSTALLED HORIZONTALLY.

CONCRETEBOARD & CORBOSA SPECS

|                                      |                                                |
|--------------------------------------|------------------------------------------------|
| DIMENSIONS (ACTUAL MM)               | 17-7/8" H x 71-9/16" L<br>(455MM H x 1818MM L) |
| THICKNESS (ACTUAL MM)                | 5/8" (16MM)                                    |
| WEIGHT (LBS. PER PANEL)              | 40.1                                           |
| WEIGHT (LBS. PER SQ. FT.)            | 4.5                                            |
| EXPOSED COVERAGE (SQ. FT. PER PANEL) | 8.88 SQ. FT.                                   |
| PACKAGING (PIECES PER PACK)          | 2 [17.76 SQ. FT.]                              |

AWP 1818





# Brick Series


PLYMOUTHBRICK | SANDSTONE *Desert Beige*

---

## The universal appeal of brick, minus the hassle.

Subtle color variations, a stately presentation, grout lines, solid looks and feel. It's all there in the Brick Series. Thanks to a proprietary multi-layered coating process, the beauty of brick is built to last in these wall panels. With five styles to select from, enjoy the freedom to create the brick exterior of your choosing without the extra cost, specialized labor, or hassle.

VINTAGEBRICK



ALEXANDRIA BUFF




WHITE WASH



CLASSIC WHITE

| VINTAGEBRICK SPECS                   | AWP 1818                                         |
|--------------------------------------|--------------------------------------------------|
| DIMENSIONS (ACTUAL MM)               | 17-7/8" H x 71-9/16" L<br>(455 MM H x 1818 MM L) |
| THICKNESS (ACTUAL MM)                | 3/4" (18 MM)                                     |
| WEIGHT (LBS. PER PANEL)              | 42.54                                            |
| WEIGHT (LBS. PER SQ. FT.)            | 4.79                                             |
| EXPOSED COVERAGE (SQ. FT. PER PANEL) | 8.88 SQ. FT.                                     |
| PACKAGING (PIECES PER PACK)          | 2 [17.76 SQ. FT.]                                |

CANYONBRICK



SHALE BROWN

| CANYONBRICK SPECS                    | AWP 1818                                         |
|--------------------------------------|--------------------------------------------------|
| DIMENSIONS (ACTUAL MM)               | 17-7/8" H x 71-9/16" L<br>(455 MM H x 1818 MM L) |
| THICKNESS (ACTUAL MM)                | 5/8" (16 MM)                                     |
| WEIGHT (LBS. PER PANEL)              | 37.82                                            |
| WEIGHT (LBS. PER SQ. FT.)            | 4.26                                             |
| EXPOSED COVERAGE (SQ. FT. PER PANEL) | 8.88 SQ. FT.                                     |
| PACKAGING (PIECES PER PACK)          | 2 [17.76 SQ. FT.]                                |



PLYMOUTHBRICK | SANDSTONE Gentle Gray

PLYMOUTHBRICK



CRIMSON



Get the classic look of kiln-fired brick with the modern strength of PlymouthBrick panels.


| PLYMOUTHBRICK SPECS                  | AWP 1818                                         |
|--------------------------------------|--------------------------------------------------|
| DIMENSIONS (ACTUAL MM)               | 17-7/8" H x 71-9/16" L<br>(455 MM H x 1818 MM L) |
| THICKNESS (ACTUAL MM)                | 5/8" (16 MM)                                     |
| WEIGHT (LBS. PER PANEL)              | 38.76                                            |
| WEIGHT (LBS. PER SQ. FT.)            | 4.36                                             |
| EXPOSED COVERAGE (SQ. FT. PER PANEL) | 8.88 SQ. FT.                                     |
| PACKAGING (PIECES PER PACK)          | 2 [17.76 SQ. FT.]                                |

MODERNBRICK



MIDNIGHT

| MODERNBRICK SPECS                    | AWP 1818                                         |
|--------------------------------------|--------------------------------------------------|
| DIMENSIONS (ACTUAL MM)               | 17-7/8" H x 71-9/16" L<br>(455 MM H x 1818 MM L) |
| THICKNESS (ACTUAL MM)                | 5/8" (16 MM)                                     |
| WEIGHT (LBS. PER PANEL)              | 38.76                                            |
| WEIGHT (LBS. PER SQ. FT.)            | 4.36                                             |
| EXPOSED COVERAGE (SQ. FT. PER PANEL) | 8.88 SQ. FT.                                     |
| PACKAGING (PIECES PER PACK)          | 2 [17.76 SQ. FT.]                                |



MODERNBRICK



# Masonry Series


SANDSTONE *Desert Beige*

---


## The beauty of solid stone at a fraction of the price.

The Masonry Series makes grandeur attainable for virtually any building. With its subtle color and deep texture, Sandstone imparts a traditional aesthetic. Covering approximately nine square feet per panel, installation takes a fraction of the time required by masonry contractors. Plus, it's available in six colors, giving you even more options for customization.

SANDSTONE



AUTUMN BROWN



DESERT BEIGE



GENTLE GRAY

| SANDSTONE SPECS                      | AWP 1818                                       |
|--------------------------------------|------------------------------------------------|
| DIMENSIONS (ACTUAL MM)               | 17-7/8" H x 71-9/16" L<br>(455MM H x 1818MM L) |
| THICKNESS (ACTUAL MM)                | 3/4" (18MM)                                    |
| WEIGHT (LBS. PER PANEL)              | 39.7                                           |
| WEIGHT (LBS. PER SQ. FT.)            | 4.47                                           |
| EXPOSED COVERAGE (SQ. FT. PER PANEL) | 8.88 SQ. FT.                                   |
| PACKAGING (PIECES PER PACK)          | 2 [17.76 SQ. FT.]                              |



NO MORTAR, NO MESS

Prefinished panels eliminate the need for messy mortar or costly masonry-skilled labor, while still providing a textured finish and enduring design aesthetic.

POLISHED SANDSTONE



PARCHMENT



DUST



MISTY GRAY

| POLISHED SANDSTONE SPECS             | AWP 1818                                       |
|--------------------------------------|------------------------------------------------|
| DIMENSIONS (ACTUAL MM)               | 17-7/8" H x 71-9/16" L<br>(455MM H x 1818MM L) |
| THICKNESS (ACTUAL MM)                | 3/4" (18MM)                                    |
| WEIGHT (LBS. PER PANEL)              | 43.61                                          |
| WEIGHT (LBS. PER SQ. FT.)            | 4.91                                           |
| EXPOSED COVERAGE (SQ. FT. PER PANEL) | 8.88 SQ. FT.                                   |
| PACKAGING (PIECES PER PACK)          | 2 [17.76 SQ. FT.]                              |



SANDSTONE *Gentle Gray*



SANDSTONE *Desert Beige* | VINTAGEWOOD *Bark*

## ESSENTIAL FLASHING

Create a clean, polished look for your building with the highest level of precision.



### COMPRESSION JOINT FLASHING (10')

Used in conjunction with Ultimate Horizontal/Vertical Starter Tracks at floor joists in buildings that require compression joints. Can be painted or powder coated to match panels.



|                              |      |
|------------------------------|------|
| THICKNESS                    | 10MM |
| PACKAGING (LN. FT. PER TUBE) | 50   |



### OVERHANG FLASHING (10') - JOH7288

Used at the base of overhangs, bump-outs or porte-cochères.


|                             |      |
|-----------------------------|------|
| THICKNESS                   | 10MM |
| PACKAGING (LN. FT. PER BOX) | 40   |



### OVERHANG FLASHING INSIDE CORNER - JOH7288D

Used in conjunction with Overhang Flashing at inside corners.

|                          |      |
|--------------------------|------|
| THICKNESS                | 10MM |
| PACKAGING (PCS PER PACK) | 2    |



### OVERHANG FLASHING OUTSIDE CORNER - JOH7288B

Used in conjunction with Overhang Flashing at outside corners.


|                          |      |
|--------------------------|------|
| THICKNESS                | 10MM |
| PACKAGING (PCS PER PACK) | 2    |



### OVERHANG FLASHING CLIP - JOH7288S

Placed at seams where Overhang Flashing and corners meet.

|                          |      |
|--------------------------|------|
| THICKNESS                | 10MM |
| PACKAGING (PCS PER PACK) | 1    |



### STARTER FLASHING (10') - FTD4788

Used in conjunction with the Ultimate Horizontal/Vertical Starter Tracks at the bottom of a building.

|                             |      |
|-----------------------------|------|
| THICKNESS                   | 10MM |
| PACKAGING (LN. FT. PER BOX) | 50   |



### STARTER FLASHING OUTSIDE CORNER - FTD4788B

Used in conjunction with Starter Flashing at outside corners.

|                          |      |
|--------------------------|------|
| THICKNESS                | 10MM |
| PACKAGING (PCS PER PACK) | 4    |



### STARTER FLASHING INSIDE CORNER - FTD4788D



Used in conjunction with Starter Flashing at inside corners.

|                          |      |
|--------------------------|------|
| THICKNESS                | 10MM |
| PACKAGING (PCS PER PACK) | 4    |

NOTES: EACH COMPONENT OF ESSENTIAL FLASHING IS SOLD SEPARATELY; STARTER AND OVERHANG FLASHING IS AVAILABLE IN BLACK ONLY.

\*This accessory is designed for use in the prescribed manner with designated Nichiha products only. Use with other products or in other manners is not warranted.

Nichiha takes accessory protection to the next level with a **removable film layer**. Once installed, simply peel off the film to reveal blemish-free fixtures.



**Our starter flashing serves a dual role** — ensuring your project is polished to perfection, and operating as a bug screen to keep annoying pests away.

## INSTALLATION HARDWARE

Easily take your vision from the drawing board to reality.



### ULTIMATE CLIP II WITH JOINT TAB ATTACHMENT - JEL778\* & JEL788\*\*

Creates a hidden fastening system that all but eliminates face fastening. The joint tab helps support panel lateral stability.

|                         |      |
|-------------------------|------|
| THICKNESS               | 10MM |
| PACKAGING (PCS PER BOX) | 30   |



### ULTIMATE HORIZONTAL STARTER TRACK (10') - FA700

Ensures a fast, level installation. Its patented drainage channel directs water out and away from the base of the wall.

|                             |      |
|-----------------------------|------|
| THICKNESS                   | 10MM |
| PACKAGING (LN. FT. PER BOX) | 100  |



### ULTIMATE VERTICAL STARTER TRACK (10') - FA710T

Ensures a fast, level installation with 3030 panels. Its patented drainage channel directs water out and away from the base of the wall.

|                             |      |
|-----------------------------|------|
| THICKNESS                   | 10MM |
| PACKAGING (LN. FT. PER BOX) | 100  |



### SINGLE FLANGE SEALANT BACKER (6.5') - FHK1015R

Used for vertical jambs at doors and windows and at inside corners of the building.

|                             |      |
|-----------------------------|------|
| THICKNESS                   | 10MM |
| PACKAGING (LN. FT. PER BOX) | 65   |



### DOUBLE FLANGE SEALANT BACKER (10') - FH1015R

Used for vertical expansion joints. Placed at the end of each 3030 panel, and every 30' with 1818 panels and with the preformed outside corner.

|                             |      |
|-----------------------------|------|
| THICKNESS                   | 10MM |
| PACKAGING (LN. FT. PER BOX) | 100  |



### CORRUGATED SHIM (4') - FS1005 & FS1010

Used for face fastening where required (top of building, doors, windows, etc.)

|                             |      |
|-----------------------------|------|
| THICKNESS (FS1005)          | 5MM  |
| THICKNESS (FS1010)          | 10MM |
| PACKAGING (LN. FT. PER BOX) | 200  |



### CORNER CLIP - JE777C\* & JE787C\*\*

Corner clip for the preformed Nichiha fiber cement corners.

|                         |      |
|-------------------------|------|
| THICKNESS               | 10MM |
| PACKAGING (PCS PER BOX) | 6    |



### CORNERS

Prefinished corners are used in conjunction with horizontal panel installation.

|                          |
|--------------------------|
| 17 7/8"H x 3-1/2" [face] |
| 1818MM H x 88.9MM [face] |

\*JEL778 and JE777C are compatible with all panels except SandStone and VintageBrick.

\*\*JEL788 and JE787C are compatible with SandStone and VintageBrick only.

\*\*\*This accessory is designed for use in the prescribed manner with designated Nichiha products only. Use with other products or in other manners is not warranted.

---


# Efficient installation. Rainscreen performance.

## THE ULTIMATE CLIP

creates a hidden fastening system that all but eliminates face fastening. Installation is quick and easy and never requires specialty subcontractors.

## NICHIHA ARCHITECTURAL WALL PANELS

are lightweight, easy to handle, and available in a virtually endless color palette and a diverse offering of textural finishes.



## NICHIHA'S JOINT TAB ATTACHMENT

is designed to support panel lateral stability, helping vertical joints stay tightly closed. The tab fits in place easily and is fastened to the Ultimate Clip with provided screw.

## DRAINED AND BACK-VENTILATED RAINSCREEN

design allows water to escape and air to circulate, reducing the risk of mold and water damage inside the building.

## THE ULTIMATE STARTER TRACK

pulls double duty. It ensures a fast, level installation, and its patented drainage channel directs water out and away from the base of the wall.



## EASY INSTALLATION

Time-saving clip installation system that reduces construction time and minimizes mistakes.



## NO MORTAR, NO MESS

Prefinished panels eliminate the need for messy mortar or costly masonry-skilled labor.



## ANY-WEATHER PRODUCT

Products can be installed year round in any climate across the country. No geographical restrictions mean more possibilities.



## LOW MAINTENANCE

No-fuss products. Little ongoing cleaning or regular maintenance needed. Bring your vision to life and ensure it looks great for years to come.




## ENGINEERED FOR PERFORMANCE

Go beyond our durable panels and discover a meticulously engineered moisture management system that provides a vertical drainage point for air and moisture to exit.

# METAL ONE-PIECE TRIM


With our customized metal trim, your project practically finishes itself.



### CORNER KEY

Extrusion used at outside corners instead of a preformed corner. A vertical expansion joint is required 2' to 12' from the corner when using this corner.


|                              |                   |
|------------------------------|-------------------|
| DIMENSIONS                   | 3" x 10'          |
| (NOM. FT. ~ ACTUAL MM)       | (76.2MM x 3030MM) |
| PACKAGING (LN. FT. PER TUBE) | 50                |



### OPEN OUTSIDE CORNER

Extrusion used at outside corners instead of a preformed corner. A vertical expansion joint is required 2' to 12' from the corner when using this corner.


|                              |                 |
|------------------------------|-----------------|
| DIMENSIONS                   | 2.96" x 10'     |
| (NOM. FT. ~ ACTUAL MM)       | (75MM x 3030MM) |
| PACKAGING (LN. FT. PER TUBE) | 50              |



### INSIDE CORNER

Used where two Nichiha panels meets in an inside corner; alternative to Single Flange Sealant Backer with sealant.

|                              |                   |
|------------------------------|-------------------|
| DIMENSIONS                   | 3.4" x 10'        |
| (NOM. FT. ~ ACTUAL MM)       | (86.4MM x 3030MM) |
| PACKAGING (LN. FT. PER TUBE) | 50                |



### H-MOLD

Can be used at the end of 3030 panels instead of the Double Flange Sealant Backer, but not at the preformed outside corners.

|                              |                   |
|------------------------------|-------------------|
| DIMENSIONS                   | 2" x 10'          |
| (NOM. FT. ~ ACTUAL MM)       | (50.8MM x 3030MM) |
| PACKAGING (LN. FT. PER TUBE) | 50                |



### J-MOLD


Can be used instead of Single Flange Sealant Backer at vertical jambs for doors and windows, but not at the inside corners of the building.

|                              |                  |
|------------------------------|------------------|
| DIMENSIONS                   | 0.375" x 10'     |
| (NOM. FT. ~ ACTUAL MM)       | (9.5MM x 3030MM) |
| PACKAGING (LN. FT. PER TUBE) | 50               |



### Our trim gives you options

All of our metal trim is available in four finishes: primed, clear anodized, powder coated, or custom color. For pricing and lead times, view our price catalog at [nichiha.com/price-catalog](https://nichiha.com/price-catalog).



For popular panels like VintageWood, we've made ordering easier by color matching all of our trim profiles for faster delivery.




Nichiha can customize trim to match any color you use on custom color panels.



*\*This accessory is designed for use in the prescribed manner with designated Nichiha products only. Use with other products or in other manners is not warranted.*

## NEW METAL TWO-PIECE TRIM

Introducing our new Two-Piece Trim—engineered for easier installation, done in a snap.



### J-MOLD

For use around window and door jambs, ideal for tight-fit situations.

|                              |                   |
|------------------------------|-------------------|
| DIMENSIONS                   | 1.25" x 10'       |
| (NOM. FT. ~ ACTUAL MM)       | (86.4MM x 3030MM) |
| PACKAGING (LN. FT. PER TUBE) | 50                |



### DEEP-J

For use with a 7/8" furring system behind our panels.

|                              |                    |
|------------------------------|--------------------|
| DIMENSIONS                   | 2.1" x 10'         |
| (NOM. FT. ~ ACTUAL MM)       | (53.34MM x 3030MM) |
| PACKAGING (LN. FT. PER TUBE) | 50                 |



### T-CAP MOLD

Conceals face fasteners along the bottom of openings such as windows and where panel meets soffit.

|                              |                   |
|------------------------------|-------------------|
| DIMENSIONS                   | 1.5" x 10'        |
| (NOM. FT. ~ ACTUAL MM)       | (38.1MM x 3030MM) |
| PACKAGING (LN. FT. PER TUBE) | 50                |



### H-MOLD

Provides a smooth seam for vertical joints. Can be used as an expansion joint for both 1818 and 3030 panels for a no-sealant install.

|                              |                   |
|------------------------------|-------------------|
| DIMENSIONS                   | 1.35" x 10'       |
| (NOM. FT. ~ ACTUAL MM)       | (34.3MM x 3030MM) |
| PACKAGING (LN. FT. PER TUBE) | 50                |



### CORNER KEY

Easy corners with a 2 1/4" reveal to cover face fasteners for vertical installations.

|                              |                   |
|------------------------------|-------------------|
| DIMENSIONS                   | 2.25" x 10'       |
| (NOM. FT. ~ ACTUAL MM)       | (57.2MM x 3030MM) |
| PACKAGING (LN. FT. PER TUBE) | 50                |



### COMPRESSION Z-FLASHING

Allows the base to be installed first and the cover cap to be installed at a later time. Ideal for modular and factory applications, but can be used in other applications.

|                              |                    |
|------------------------------|--------------------|
| DIMENSIONS                   | 4" x 10'           |
| (NOM. FT. ~ ACTUAL MM)       | (101.6MM x 3030MM) |
| PACKAGING (LN. FT. PER TUBE) | 50                 |



Nichiha's **two-piece metal trim** system provides a solution for corners, penetrations, transitions, and vertical joints, while maintaining a clean, consistent finish.

*\*This accessory is designed for use in the prescribed manner with designated Nichiha products only. Use with other products or in other manners is not warranted.*



VINTAGEWOOD Cedar

---

## Pro resources at your fingertips.

Whether you are an architect, contractor, installer, or builder, Nichiha ensures that you have all the information you need to make your project go as smoothly as possible. Our website offers a comprehensive collection of technical information, installation videos, architectural details, in-depth specifications, and everything you need to know about installing Nichiha products.



Scan here to visit our resource center.

---

## Warranties and certifications.

- ARCHITECTURAL WALL PANELS
  - 15-year limited warranty\* on panels
  - 15-year limited warranty\* on finish
- METAL TRIM

TAMLYN warrants defective-free products for a period of 10 years for the original purchaser. Please visit [tamlyn.com](http://tamlyn.com) for detailed information on terms, conditions, and limitations.



CCRR-0299



Canada CCMC



WUI



NOA



Build America,  
Buy America  
Compliant



\*See Nichiha warranties for detailed information on terms, conditions, and limitations. Visit [nichiha.com](http://nichiha.com) for easily downloadable warranties, or call toll-free 1.866.424.4421 for a copy. Nichiha MSDS is available at [nichiha.com](http://nichiha.com), at your local Nichiha dealer, or call Nichiha direct toll-free 1.866.424.4421.

SILICA DUST WARNING: Nichiha products may contain some amounts of crystalline silica (a.k.a. sand, silicon dioxide), which is a naturally occurring mineral. The amount will vary from product to product. Inhalation of crystalline silica into the lungs and repeated exposure to silica can cause health disorders, such as silicosis, lung cancer, or death depending upon various factors. To be conservative, Nichiha recommends that whenever cutting, sawing, sanding, sniping, or abrading the product, users observe safety instructions. For further information or questions, please consult the MSDS, your employer, or visit [www.osha.gov/SLTC/silicacrystalline/index.html](http://www.osha.gov/SLTC/silicacrystalline/index.html) and [www.cdc.gov/niosh/topics/silica](http://www.cdc.gov/niosh/topics/silica). The MSDS for Nichiha products are available at [www.nichiha.com](http://www.nichiha.com), at your local Nichiha dealer, or through Nichiha directly at 1.866.424.4421. FAILURE TO ADHERE TO OUR WARNINGS, MSDS, AND OTHER INSTRUCTION MAY LEAD TO SERIOUS PERSONAL INJURY OR DEATH.

6465 E. JOHNS CROSSING, SUITE 250, JOHNS CREEK, GA 30097 | 866.424.4421 | [NICHIIHA.COM](http://NICHIIHA.COM)

NOTE: Printed material may not accurately depict actual product color. Printed in the USA.







FIND YOUR  
A-HA MOMENT



NICHIHA.COM

©2026 Nichiha USA, Inc. All rights reserved. V01.26



Scan here to access the digital catalog